




Balanced goldish woven fabric data sheet

Code # GA200Tg

Characteristics		
	Nominal	Tolerance
Mass per unit of area (gr/sqm)	200	± 5%
Weave	Twill 2X2	
Laminate thickness (mm)	0.16	± 15%

Warp – Weft ratio		
	Warp	Weft
Fiber description	EC9 68 tex fiber	EC9 68 tex fiber
Thread count (ends/cm)	16.8	12
Weight distribution (g/mq)	112	88
Weight distribution (%)	56	44

Note: Technical information furnished is based on laboratory findings and believed to be correct. No warranties of any kind are made except that the materials supplied are of standard quality. All risk and liabilities arising from handling, storage and use of products, as well as compliance with applicable legal restrictions, rests with the user.



FIBREMAX LTD
 35 GRAFTON WAY, W1T 5DB LONDON, UNITED KINGDOM
 TEL ++30 24280 92210, FAX ++30 24280 92270, info@fibermaxcomposites.com